NEW OSHA TRAINING REGULATIONS IMPACTING CLUBS



OSHA® QUICK CARD™

Hazard Communication Standard Labels

OSHA has updated the requirements for labeling of hazardous chemicals under its Hazard Communication Standard (HCS). As of June 1, 2015, all labels will be required to have pictograms, a signal word, hazard and precautionary statements, the product identifier, and supplier identification. A sample revised HCS label, identifying the required label elements, is shown on the right. Supplemental information can also be provided on the label as needed.

For more information:

OSHA Occupational Safety and Health Administration (800) 321-OSHA (6742) www.osha.gov

SAMPLE LABEL

CODE
Product Name
} Product Identifier

Company Name
Street Address
City State
Postal Code Country
Emergency Phone Number
} Supplier Identification

Hazard Pictograms

Signal Word
Danger

Keep container tightly closed. Store in a cool, well-ventilated place that is locked.
Keep away from heat/sparks/open flame. No smoking.
Only use non-sparking tools.
Use explosion-proof electrical equipment.
Take precautionary measures against static discharge.
Ground and bond container and receiving equipment.
Do not breathe vapors.
Wear protective gloves.
Do not eat, drink or smoke when using this product.
Wash hands thoroughly after handling.
Dispose of in accordance with local, regional, national, international regulations as specified.

In Case of Fire: use dry chemical (BC) or Carbon Dioxide (CO_2) fire extinguisher to extinguish.

First Aid
If exposed call Poison Center.
If on skin (or hair): Take off immediately any contaminated clothing. Rinse skin with water.

} Precautionary Statements

Highly flammable liquid and vapor.
May cause liver and kidney damage.
} Hazard Statements

Supplemental Information

Directions for Use

Fill weight: Lot Number:
Gross weight: Fill Date:
Expiration Date:

OSHA 3492-02 2012

OSHA® DATOS RÁPIDOS

Etiquetas para la norma sobre la comunicación de peligros

De acuerdo con su norma de comunicación de peligros (HCS, por sus siglas en inglés), la OSHA ha actualizado los requisitos para las etiquetas de los productos químicos peligrosos. A partir del 1.° de junio de 2015, se exigirá que todas las etiquetas incluyan pictogramas, una palabra de advertencia, indicaciones de peligro, consejos de prudencia, identificación del producto y la identificación del proveedor. A la derecha se presenta la muestra de una etiqueta modificada de acuerdo con la HCS, que indica los elementos obligatorios. La etiqueta puede contener también información suplementaria según sea necesario.

Para más información:

OSHA Administración de Seguridad y Salud Ocupacional (800) 321-OSHA (6742) www.osha.gov

ETIQUETA DE MUESTRA

CÓDIGO
Nombre del producto
} Identificación del producto

Nombre de la empresa
Dirección
Ciudad Estado
Código postal País
Número de teléfono de emergencia
} Identificación del proveedor

Pictogramas de peligro

Palabra de advertencia
Peligro

Mantenerel contenedor herméticamente cerrado.
Guardar en un lugar fresco, bien ventilado y cerrado bajo llave.
Manteneralejado de fuentes de calor, chispas o llama abierta. No fumar.
Usar sólo con herramientas que no generen chispas.
Usar equipo eléctrico a prueba de explosiones.
Tomar medidas de precaución contra descargas estáticas.
Fijar y conectar a tierra el equipo contenedor y receptor.
No respirar los vapores.
Usar guantes protectores.
Abstenerse de comer, beber o fumar cuando se usa este producto.
Lavarse muy bien las manos después de manejar este producto.
Desechar el producto según las especificaciones y los reglamentos locales, regionales, nacionales e internacionales.

En caso de incendio: usar un extintor de polvo químico (tipo BC) o de bióxido de carbono (CO_2).

Primeros auxilios
Si hay exposición a este producto, llamar al Centro de Control de Intoxicaciones.
En caso de contacto con la piel o el cabello: quitarse de inmediatotoda la ropa contaminada. Lavarse la piel con agua.

} Consejos de prudencia

Líquido y vapores muy inflamables.
Puede provocar daños al hígado y a los riñones.
} Indicaciones de peligro

Información suplementaria

Instrucciones de uso

Peso Neto: Número de lote:
Peso bruto: Fecha de fabricación:
Fecha de caducidad:

http://www.osha.gov/Publications/OSHA3492QuickCardLabel.pdf

Ready or not, you have to revise your Hazard Communication practices by December 1, 2013.

The Occupational Safety and Health Administration (OSHA) Hazard Communication Standard is being revised to be consistent with the United Nations' Globally Harmonized System of Classification and Labeling of Chemicals (GHS). This is a worldwide initiative that will standardize all chemical forms.

The first part of the new regulations effective December 1, 2013 requires all employees to be trained on how to read (understand) the new 16-section format of the Safety Data Sheet (SDS) and the corresponding chemical labels.

The new standardized SDS labels are required to feature a signal word, pictogram, hazard and precautionary statements, product identifier and supplier identification.

If you have already conducted the required annual employee material safety data sheet training, you are currently in compliance.

The process that OSHA is using to roll out these regulations is (in my estimation) most interesting.

Your awareness regarding the new regulations is being raised to ensure you are doing the currently required training and then the chemical manufacturers/producers have additional time to ensure that the revised safety data sheets are produced.

Can you throw away all your old Material Safety Data Sheets? Only if a new Safety Data Sheet is available to replace it. What if you no longer use the product? In that case you only have to keep the discontinued MSDS for 30 years. (That is unless your state's regulations require you to keep them longer.)

Key dates for GHS/Hazard Communication alignment:

- Dec. 1: Requires employees to be trained on the new label elements and safety data sheet format.
- June 1, 2015: Compliance with all modified provisions of the final rule.
- Dec. 1, 2015: Requires distributors to only ship containers labeled by the chemical manufacturer or importer with updated GHS labels.
- June 1, 2016: Update alternative workplace labeling and hazard communication programs as necessary and provide additional employee training for newly identified physical or health hazards.

Do know that the OSHA Hazard Communication in one of the most common safety violations that clubs have been cited for. This topic was one of the CMAA & OSHA Alliance Initiatives.

What should you do now? Start training now and revise your written Hazard Communication policy. If you don't have a written policy, it is time to get one.

OSHA® QUICK CARD™

Hazard Communication Standard Pictogram

As of June 1, 2015, the Hazard Communication Standard (HCS) will require pictograms on labels to alert users of the chemical hazards to which they may be exposed. Each pictogram consists of a symbol on a white background framed within a red border and represents a distinct hazard(s). The pictogram on the label is determined by the chemical hazard classification.

HCS Pictograms and Hazards

Health Hazard	Flame	Exclamation Mark
• Carcinogen • Mutagenicity • Reproductive Toxicity • Respiratory Sensitizer • Target Organ Toxicity • Aspiration Toxicity	• Flammables • Pyrophorics • Self-Heating • Emits Flammable Gas • Self-Reactives • Organic Peroxides	• Irritant (skin and eye) • Skin Sensitizer • Acute Toxicity (harmful) • Narcotic Effects • Respiratory Tract Irritant • Hazardous to Ozone Layer (Non-Mandatory)
Gas Cylinder	**Corrosion**	**Exploding Bomb**
• Gases Under Pressure	• Skin Corrosion/ Burns • Eye Damage • Corrosive to Metals	• Explosives • Self-Reactives • Organic Peroxides
Flame Over Circle	**Environment** (Non-Mandatory)	**Skull and Crossbones**
• Oxidizers	• Aquatic Toxicity	• Acute Toxicity (fatal or toxic)

For more information:
OSHA® Occupational Safety and Health Administration
U.S. Department of Labor
www.osha.gov (800) 321-OSHA (6742)

OSHA 3491-02 2012

OSHA® DATOS RÁPIDOS

Pictograma para la norma sobre la comunicación de peligros

A partir del 1.° de junio de 2015, la norma de comunicación de peligros (HCS, por sus siglas en inglés) exigirá pictogramas en las etiquetas para advertir a los usuarios de los peligros químicos a los que puedan estar expuestos. Cada pictograma representa un peligro definido y consiste en un símbolo sobre un fondo blanco enmarcado con un borde rojo. La clasificación del peligro químico determina el pictograma que muestra la etiqueta.

Pictogramas y peligros según la HCS

Peligro para la salud	Llama	Signo de exclamación
• Carcinógeno • Mutagenicidad • Toxicidad para la reproducción • Sensibilización respiratoria • Toxicidad específica de órganos diana • Peligro por aspiración	• Inflamables • Pirofóricos • Calentamiento espontáneo • Desprenden gases inflamables • Reaccionan espontáneamente (autorreactivas) • Peróxidos orgánicos	• Irritante (piel y ojos) • Sensibilizador cutáneo • Toxicidad aguda (dañino) • Efecto narcótico • Irritante de vías respiratorias • Peligros para la capa de ozono (no obligatorio)
Botella de gas	**Corrosión**	**Bomba explotando**
• Gases a presión	• Corrosión o quemaduras cutáneas • Lesión ocular • Corrosivo para los metales	• Explosivos • Reaccionan espontáneamente (autorreactivas) • Peróxidos orgánicos
Llama sobre círculo	**Medio ambiente** (No obligatorio)	**Calavera y tibias cruzadas**
• Comburentes	• Toxicidad acuática	• Toxicidad aguda (mortal o tóxica)

Para más información:
OSHA® Administración de Seguridad y Salud Ocupacional
Departamento de Trabajo de los EE. UU.
www.osha.gov (800) 321-OSHA (6742)

https://www.osha.gov/Publications/OSHA3491QuickCardPictogram.pdf

Alan E. Achatz, CCM, CHE is a former club manager who assists clubs with safety including emergency action planning / implementation, crisis management, OSHA compliance and behind the scenes safety audits. Alan has written extensively about safety concerns for clubs. He may be reached at 716-565-9122 or at www.clubsafetysolutions.com